

Opsi server u računalnoj učionici



Nakon što smo uspješno instalirali jednog opsi klijenta, na isti način možemo "učlaniti" sva računala iz lokalne mreže, potom im dodijeliti grupe te "daljinski" upravljati njima putem mreže.


Tako formirana grupa, na primjer računalna učionica, može se vrlo praktično iskoristiti za monoton i prilično frustrirajući posao kao što je paljenje i gašenje cca 30-tak računala zbog redovitog održavanja. Vjerovatno vam se više puta dogodilo da napustite instalaciju softvera na računalima jer su vas prekinuli drugi poslovi, te na kraju dana nemate više vremena, snage i živaca vraćati se u pc-lab da ih ručno pošaljete u "shut down". Kako napraviti masovno uspavljanje i buđenje računalne učionice kroz web preglednik?

S opsi serverom to je prilično jednostavno. Ulogirajmo se u opsi kofikator.

Za početak učlanimo sva računala iz učionice na opsi server. Moraju biti vidljiva na listi klijenta.

client name	description	On	last seen	IP address
lab1rm1.simet.lan			2015-07-15 10:...	192.168.1.101
lab1rm10.simet...			2015-07-15 12:...	192.168.1.110
lab1rm11.simet...			2015-07-15 12:...	192.168.1.111
lab1rm12.simet...			2015-07-15 12:...	192.168.1.112
lab1rm13.simet...			2015-07-15 12:...	192.168.1.113
lab1rm14.simet...			2015-07-15 12:...	192.168.1.114
lab1rm15.simet...			2015-07-15 11:...	192.168.1.115
lab1rm17.simet...			2015-07-15 12:...	192.168.1.117
lab1rm18.simet...			2015-07-15 12:...	192.168.1.118
lab1rm19.simet...			2015-07-15 12:...	192.168.1.119
lab1rm2.simet.lan			2015-07-15 12:...	192.168.1.102
lab1rm20.simet...			2015-07-15 12:...	192.168.1.120
lab1rm21.simet...			2015-07-15 12:...	192.168.1.121
lab1rm22.simet...			2015-07-15 12:...	192.168.1.122
lab1rm23.simet...			2015-07-15 12:...	192.168.1.123
lab1rm24.simet...			2015-07-15 12:...	192.168.1.124
lab1rm25.simet...			2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan			2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan			2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan			2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan			2015-07-15 12:...	192.168.1.106


Označimo "**GROUPS**" te kreiramo grupu "LAB1".



The screenshot shows the Opsi configuration web interface. The browser address bar displays `https://opsi.simet.lan:4447/configed/`. The interface has a menu bar with 'File', 'Selection', 'OpsClient', and 'Help'. Below the menu bar is a toolbar with various icons. The main content area is divided into several sections:

- Depot-Server:** A sidebar on the left showing a tree view of groups and clients. The 'CLIENT LIST' is expanded, showing a list of clients with IP addresses ranging from `lab1rm1.simet.lan` to `lab1rm24.simet.lan`.
- Software inventory:** A tab in the top right section.
- Log files:** A tab in the top right section.
- Product default-properties:** A tab in the top right section.
- Depot configuration:** A tab in the top right section.
- Clients:** The active tab, showing a table of clients. The table has columns: 'client name', 'description', 'On', 'last seen', and 'IP address'. The table is currently empty.
- Product configuration:** A tab in the top right section.
- Netboot products:** A tab in the top right section.
- Host parameters:** A tab in the top right section.
- Hardware information:** A tab in the top right section.
- Client details:** A panel on the right side of the 'Clients' tab, showing details for the selected client `lab1rm1.simet.lan`. It includes fields for 'Description', 'Inventory number', 'opsi MAC address' (00:19:66:f0:97:a2), 'Uefi Boot' (checkbox), 'client one time pass', and 'Notes'.


At the bottom of the interface, there is a status bar showing 'Clients total: 26' and 'number of clients: 0'.



This screenshot is identical to the one above, showing the Opsi configuration web interface. The browser address bar displays `https://opsi.simet.lan:4447/configed/`. The interface has a menu bar with 'File', 'Selection', 'OpsClient', and 'Help'. Below the menu bar is a toolbar with various icons. The main content area is divided into several sections:

- Depot-Server:** A sidebar on the left showing a tree view of groups and clients. The 'CLIENT LIST' is expanded, showing a list of clients with IP addresses ranging from `lab1rm1.simet.lan` to `lab1rm24.simet.lan`.
- Software inventory:** A tab in the top right section.
- Log files:** A tab in the top right section.
- Product default-properties:** A tab in the top right section.
- Depot configuration:** A tab in the top right section.
- Clients:** The active tab, showing a table of clients. The table has columns: 'client name', 'description', 'On', 'last seen', and 'IP address'. The table is currently empty.
- Product configuration:** A tab in the top right section.
- Netboot products:** A tab in the top right section.
- Host parameters:** A tab in the top right section.
- Hardware information:** A tab in the top right section.
- Client details:** A panel on the right side of the 'Clients' tab, showing details for the selected client `lab1rm1.simet.lan`. It includes fields for 'Description', 'Inventory number', 'opsi MAC address' (00:19:66:f0:97:a2), 'Uefi Boot' (checkbox), 'client one time pass', and 'Notes'.

At the bottom of the interface, there is a status bar showing 'Clients total: 26' and 'number of clients: 0'.



opsi configuration editor - Iceweasel

File Selection OpsClient Help

Depot-Server

opsi.simet.lan

Create subgroup
alle elemente auswählen

lab1rm1.simet.lan
lab1rm10.simet.lan
lab1rm11.simet.lan
lab1rm12.simet.lan
lab1rm13.simet.lan
lab1rm14.simet.lan
lab1rm15.simet.lan
lab1rm17.simet.lan
lab1rm18.simet.lan
lab1rm19.simet.lan
lab1rm2.simet.lan
lab1rm20.simet.lan
lab1rm21.simet.lan
lab1rm22.simet.lan
lab1rm23.simet.lan
lab1rm24.simet.lan

Software inventory Log files Product default-properties Depot configuration

Clients Product configuration Netboot products Host parameters Hardware information

search in all columns mode full-text search

client name	description	On	last seen	IP address
-------------	-------------	----	-----------	------------

lab1rm1.simet.lan

Description

Inventory number


opsi MAC address
00:19:66:f0:97:a2

Uefi Boot ☐

client one time pass

Notes

Clients total: 26 SE... GROUPS c... number of clients: 0 (...)



opsi configuration editor - Iceweasel

File Selection OpsClient Help

Depot-Server

opsi.simet.lan

Create subgroup
alle elemente auswählen

lab1rm1.simet.lan
lab1rm10.simet.lan
lab1rm11.simet.lan
lab1rm12.simet.lan
lab1rm13.simet.lan
lab1rm14.simet.lan
lab1rm15.simet.lan
lab1rm17.simet.lan
lab1rm18.simet.lan
lab1rm19.simet.lan
lab1rm2.simet.lan
lab1rm20.simet.lan
lab1rm21.simet.lan
lab1rm22.simet.lan
lab1rm23.simet.lan
lab1rm24.simet.lan

Software inventory Log files Product default-properties Depot configuration

Clients Product configuration Netboot products Host parameters Hardware information

search in all columns mode full-text search

client name	description	On	last seen	IP address
-------------	-------------	----	-----------	------------

lab1rm1.simet.lan

Description

Inventory number


opsi MAC address
00:19:66:f0:97:a2

Uefi Boot ☐

client one time pass

Notes

Clients total: 26 SE... GROUPS c... number of clients: 0 (...)



opsi configuration editor - Iceweasel

opsi configuration ed... x

https://opsi.simet.lan:4447/configed/

File Selection OpsiClient Help

Depot-Server

opsi.simet.lan

Create subgroup
alle elemente auswählen

lab1rm1.simet.lan
lab1rm10.simet.lan
lab1rm11.simet.lan
lab1rm12.simet.lan
lab1rm13.simet.lan
lab1rm14.simet.lan
lab1rm15.simet.lan
lab1rm17.simet.lan
lab1rm18.simet.lan
lab1rm19.simet.lan
lab1rm2.simet.lan
lab1rm20.simet.lan
lab1rm21.simet.lan
lab1rm22.simet.lan
lab1rm23.simet.lan
lab1rm24.simet.lan

Software inventory Log files Product default-properties Depot configuration

Clients Product configuration Netboot products Host parameters Hardware information

search in all columns mode full-text search

client name	description	On	last seen	IP address
-------------	-------------	----	-----------	------------

lab1rm1.simet.lan

Description

Inventory number


opsi MAC address
00:19:66:f0:97:a2

Uefi Boot ☐

client one time pass

Notes

Clients total: 26 SE... GROUPS c... number of clients: 0



opsi configuration editor - Iceweasel

opsi configuration ed... x

https://opsi.simet.lan:4447/configed/

File Selection OpsiClient Help

Depot-Server

opsi.simet.lan

Software inventory Log files Product default-properties Depot configuration

Clients Product configuration Netboot products Host parameters Hardware information

search in all columns mode full-text search

lab1rm1.simet.lan

Description

Inventory number

opsi MAC address
00:19:66:f0:97:a2

Uefi Boot ☐

client one time pass

Notes


Clients total: 26 SE... GROUPS c... number of clients: 0

New subgroup (opsi config editor)

New group

Name LAB1

Description




The screenshot shows the Opsi configuration editor web interface. The browser address bar displays the URL `https://opsi.simet.lan:4447/configed/`. The interface is divided into several sections:

- Top Bar:** Contains navigation icons and a search bar.
- Left Sidebar:** A tree view showing the hierarchy of groups and clients. The 'lab1' group is expanded, showing a list of clients including `lab1rm1.simet.lan` through `lab1rm23.simet.lan`.
- Main Content Area:** A table with columns for 'client name', 'description', 'On', 'last seen', and 'IP address'. The table is currently empty.
- Right Panel:** A detailed configuration panel for the selected client `lab1rm1.simet.lan`. It includes fields for 'Description', 'Inventory number', 'opsi MAC address' (set to `00:19:66:f0:97:a2`), 'Uefi Boot' (unchecked), and 'client one time pass'.
- Bottom Bar:** A status bar showing 'Clients total: 26', 'SE... .. lab1', 'c...', and 'number of clients: 0'.



Prebacimo se na "**CLIENT LIST**" označimo zadnje računalo te sa **CTRL+** strelica gore "poplavimo" klijente koje želimo u grupi "lab1". Tako označene klijente "drag and drop" metodom "povučemo" u *lab1* grupu.



opsi configuration editor - Iceweasel

opsi configuration ed... x +

https://opsi.simet.lan:4447/configured/

File Selection OpsClient Help

Depot-Server: opsi.simet.lan

GROUPS: lab1

DIRECTORY

CLIENT LIST

lab1rm1.simet.lan

lab1rm10.simet.lan

lab1rm11.simet.lan

lab1rm12.simet.lan

lab1rm13.simet.lan

lab1rm14.simet.lan

lab1rm15.simet.lan

lab1rm17.simet.lan

lab1rm18.simet.lan

lab1rm19.simet.lan

lab1rm2.simet.lan

lab1rm20.simet.lan

lab1rm21.simet.lan

lab1rm22.simet.lan

lab1rm23.simet.lan

lab1rm24.simet.lan

lab1rm25.simet.lan

lab1rm3.simet.lan

lab1rm4.simet.lan

lab1rm5.simet.lan

lab1rm6.simet.lan

lab1rm7.simet.lan

lab1rm8.simet.lan

lab1rm9.simet.lan

opsi-pc.simet.lan

sati40-pc.simet.lan

Software inventory Log files Product default-properties Depot configuration

Clients Product configuration Netboot products Host parameters Hardware information

search in all columns mode full-text search

client name	description	On	last seen	IP address
lab1rm14.simet.lan			2015-07-15 12:...	192.168.1.114
lab1rm15.simet.lan			2015-07-15 11:...	192.168.1.115
lab1rm17.simet.lan			2015-07-15 12:...	192.168.1.117
lab1rm18.simet.lan			2015-07-15 12:...	192.168.1.118
lab1rm19.simet.lan			2015-07-15 12:...	192.168.1.119
lab1rm2.simet.lan			2015-07-15 12:...	192.168.1.102
lab1rm20.simet.lan			2015-07-15 12:...	192.168.1.120
lab1rm21.simet.lan			2015-07-15 12:...	192.168.1.121
lab1rm22.simet.lan			2015-07-15 12:...	192.168.1.122
lab1rm23.simet.lan			2015-07-15 12:...	192.168.1.123
lab1rm24.simet.lan			2015-07-15 12:...	192.168.1.124
lab1rm25.simet.lan			2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan			2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan			2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan			2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan			2015-07-15 12:...	192.168.1.106
lab1rm7.simet.lan			2015-07-15 12:...	192.168.1.107
lab1rm8.simet.lan			2015-07-15 12:...	192.168.1.108
lab1rm9.simet.lan			2015-07-15 12:...	192.168.1.109
opsi-pc.simet.lan			2015-06-08 10:...	192.168.1.84
sati40-pc.simet.lan			2015-05-20 09:...	192.168.1.7

Clients total: 26 SE... c... lab1rm9.simet.lan number of clients: 1 (... opsi.simet.lan)

lab1rm9.simet.lan

Description

Inventory number


opsi MAC address

c8:9c:dc:39:ed:66

Uefi Boot ☐

client one time pass

Notes



opsi configuration editor - Iceweasel

opsi configuration ed... x +

https://opsi.simet.lan:4447/configured/

File Selection OpsClient Help

Depot-Server: opsi.simet.lan

GROUPS: lab1

DIRECTORY

CLIENT LIST

lab1rm1.simet.lan

lab1rm10.simet.lan

lab1rm11.simet.lan

lab1rm12.simet.lan

lab1rm13.simet.lan

lab1rm14.simet.lan

lab1rm15.simet.lan

lab1rm17.simet.lan

lab1rm18.simet.lan

lab1rm19.simet.lan

lab1rm2.simet.lan

lab1rm20.simet.lan

lab1rm21.simet.lan

lab1rm22.simet.lan

lab1rm23.simet.lan

lab1rm24.simet.lan

lab1rm25.simet.lan

lab1rm3.simet.lan

lab1rm4.simet.lan

lab1rm5.simet.lan

lab1rm6.simet.lan

lab1rm7.simet.lan

lab1rm8.simet.lan

lab1rm9.simet.lan

opsi-pc.simet.lan

sati40-pc.simet.lan

Software inventory Log files Product default-properties Depot configuration

Clients Product configuration Netboot products Host parameters Hardware information

search in all columns mode full-text search

client name	description	On	last seen	IP address
lab1rm14.simet.lan			2015-07-15 12:...	192.168.1.114
lab1rm15.simet.lan			2015-07-15 11:...	192.168.1.115
lab1rm17.simet.lan			2015-07-15 12:...	192.168.1.117
lab1rm18.simet.lan			2015-07-15 12:...	192.168.1.118
lab1rm19.simet.lan			2015-07-15 12:...	192.168.1.119
lab1rm2.simet.lan			2015-07-15 12:...	192.168.1.102
lab1rm20.simet.lan			2015-07-15 12:...	192.168.1.120
lab1rm21.simet.lan			2015-07-15 12:...	192.168.1.121
lab1rm22.simet.lan			2015-07-15 12:...	192.168.1.122
lab1rm23.simet.lan			2015-07-15 12:...	192.168.1.123
lab1rm24.simet.lan			2015-07-15 12:...	192.168.1.124
lab1rm25.simet.lan			2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan			2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan			2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan			2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan			2015-07-15 12:...	192.168.1.106
lab1rm7.simet.lan			2015-07-15 12:...	192.168.1.107
lab1rm8.simet.lan			2015-07-15 12:...	192.168.1.108
lab1rm9.simet.lan			2015-07-15 12:...	192.168.1.109
opsi-pc.simet.lan			2015-06-08 10:...	192.168.1.84
sati40-pc.simet.lan			2015-05-20 09:...	192.168.1.7

Clients total: 26 SE... c... lab1rm9.simet.lan number of clients: 1 (... opsi.simet.lan)

lab1rm9.simet.lan

Description

Inventory number


opsi MAC address

c8:9c:dc:39:ed:66

Uefi Boot ☐

client one time pass

Notes



opsi configuration editor - Iceweasel

https://opsi.simet.lan:4447/configured/

File Selection OpsiClient Help

Depot-Server: opsi.simet.lan


GROUPS: lab1

CLIENT LIST:

client name	description	On	last seen	IP address
lab1rm14.simet.lan			2015-07-15 12:...	192.168.1.114
lab1rm15.simet.lan			2015-07-15 11:...	192.168.1.115
lab1rm17.simet.lan			2015-07-15 12:...	192.168.1.117
lab1rm18.simet.lan			2015-07-15 12:...	192.168.1.118
lab1rm19.simet.lan			2015-07-15 12:...	192.168.1.119
lab1rm2.simet.lan			2015-07-15 12:...	192.168.1.102
lab1rm20.simet.lan			2015-07-15 12:...	192.168.1.120
lab1rm21.simet.lan			2015-07-15 12:...	192.168.1.121
lab1rm22.simet.lan			2015-07-15 12:...	192.168.1.122
lab1rm23.simet.lan			2015-07-15 12:...	192.168.1.123
lab1rm24.simet.lan			2015-07-15 12:...	192.168.1.124
lab1rm25.simet.lan			2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan			2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan			2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan			2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan			2015-07-15 12:...	192.168.1.106
lab1rm7.simet.lan			2015-07-15 12:...	192.168.1.107
lab1rm8.simet.lan			2015-07-15 12:...	192.168.1.108
lab1rm9.simet.lan			2015-07-15 12:...	192.168.1.109
opsi-pc.simet.lan			2015-06-08 10:...	192.168.1.84
sat140-pc.simet.lan			2015-05-20 09:...	192.168.1.7

Clients total: 26 SE... c... t.lan; lab1rm9.simet.lan number of clients: 24 (... opsi.simet.lan)

Grupa *lab1* je formirana i možemo krenuti s "daljinskim upravljanjem" 24 klijenta.



opsi configuration editor - Iceweasel

https://opsi.simet.lan:4447/configured/

File Selection OpsiClient Help

Depot-Server: opsi.simet.lan

GROUPS: lab1

client name	description	On	last seen	IP address
lab1rm1.simet.lan			2015-07-15 10:...	192.168.1.101
lab1rm10.simet.lan			2015-07-15 12:...	192.168.1.110
lab1rm11.simet.lan			2015-07-15 12:...	192.168.1.111
lab1rm12.simet.lan			2015-07-15 12:...	192.168.1.112
lab1rm13.simet.lan			2015-07-15 12:...	192.168.1.113
lab1rm14.simet.lan			2015-07-15 12:...	192.168.1.114
lab1rm15.simet.lan			2015-07-15 11:...	192.168.1.115
lab1rm17.simet.lan			2015-07-15 12:...	192.168.1.117
lab1rm18.simet.lan			2015-07-15 12:...	192.168.1.118
lab1rm19.simet.lan			2015-07-15 12:...	192.168.1.119
lab1rm2.simet.lan			2015-07-15 12:...	192.168.1.102
lab1rm20.simet.lan			2015-07-15 12:...	192.168.1.120
lab1rm21.simet.lan			2015-07-15 12:...	192.168.1.121
lab1rm22.simet.lan			2015-07-15 12:...	192.168.1.122
lab1rm23.simet.lan			2015-07-15 12:...	192.168.1.123
lab1rm24.simet.lan			2015-07-15 12:...	192.168.1.124
lab1rm25.simet.lan			2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan			2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan			2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan			2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan			2015-07-15 12:...	192.168.1.106

Clients total: 26 SE... lab1 c... number of clients: 24 (...)

Za "buđenje preko mreže" računala moraju biti podešena u BIOS-u na *Wake On LAN* ili *Power Up On PCI Device* opciju. Nakon što smo podesili potrebne opcije BIOS-a u "On" ili "Enabled". Označimo s **CRTL+A** sve klijente iz grupe *lab1*.

opsi configuration editor - Iceweasel

opsi configuration ed... x

https://opsi.simet.lan:4447/configured/

File Selection OpsiClient Help

Check which clients are connected

Depot-Server

opsi.simet.lan


GROUPS

- lab1
 - lab1rm1.simet.lan
 - lab1rm10.simet.lan
 - lab1rm11.simet.lan
 - lab1rm12.simet.lan
 - lab1rm13.simet.lan
 - lab1rm14.simet.lan
 - lab1rm15.simet.lan
 - lab1rm17.simet.lan
 - lab1rm18.simet.lan
 - lab1rm19.simet.lan
 - lab1rm2.simet.lan
 - lab1rm20.simet.lan
 - lab1rm21.simet.lan
 - lab1rm22.simet.lan
 - lab1rm23.simet.lan
 - lab1rm24.simet.lan
 - lab1rm25.simet.lan


client name	description	On	last seen	IP address
lab1rm1.simet.lan		•	2015-07-15 10:...	192.168.1.101
lab1rm10.simet...		•	2015-07-15 12:...	192.168.1.110
lab1rm11.simet...		•	2015-07-15 12:...	192.168.1.111
lab1rm12.simet...		•	2015-07-15 12:...	192.168.1.112
lab1rm13.simet...		•	2015-07-15 12:...	192.168.1.113
lab1rm14.simet...		•	2015-07-15 12:...	192.168.1.114
lab1rm15.simet...		•	2015-07-15 11:...	192.168.1.115
lab1rm17.simet...		•	2015-07-15 12:...	192.168.1.117
lab1rm18.simet...		•	2015-07-15 12:...	192.168.1.118
lab1rm19.simet...		•	2015-07-15 12:...	192.168.1.119
lab1rm2.simet.lan		•	2015-07-15 12:...	192.168.1.102
lab1rm20.simet...		•	2015-07-15 12:...	192.168.1.120
lab1rm21.simet...		•	2015-07-15 12:...	192.168.1.121
lab1rm22.simet...		•	2015-07-15 12:...	192.168.1.122
lab1rm23.simet...		•	2015-07-15 12:...	192.168.1.123
lab1rm24.simet...		•	2015-07-15 12:...	192.168.1.124
lab1rm25.simet...		•	2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan		•	2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan		•	2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan		•	2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan		•	2015-07-15 12:...	192.168.1.106

Clients total: 26 SE... c... t.lan; lab1rm9.simet.lan number of clients: 24 (... opsi.simet.lan

Desnim klikom miša odabiremo "buđenje" klijenata sa odmakom 5 sekundi. Vremenski odmak treba planirati zbog mogućeg strujnog preopterećenja do kojeg bi moglo doći ukoliko bi se klijenti palili istovremeno.



Kreće lančana reakcija. Masovno ustajanje :) Provjeru budnosti možemo pratiti opcijom "Check which clients are connected".




cp

The screenshot shows the 'opsi configuration editor - iceweasel' web interface. The browser address bar shows 'https://opsi.simet.lan:4447/configed/'. The interface includes a top toolbar with various icons, a left sidebar for 'Depot-Server' and 'GROUPS', a central table of client details, and a right sidebar for client-specific information. A red box highlights a wireless icon in the top toolbar. A modal dialog box is open in the center, displaying the message 'Call for reachable info is running ...' with a 'Close' button.

client name	description	On	last seen	IP address
lab1rm12.simet.lan			2015-07-15 12:...	192.168.1.112
lab1rm10.simet.lan			2015-07-15 12:...	192.168.1.113
lab1rm11.simet.lan			2015-07-15 12:...	192.168.1.114
lab1rm12.simet.lan			2015-07-15 12:...	192.168.1.115
lab1rm13.simet.lan			2015-07-15 12:...	192.168.1.117
lab1rm14.simet.lan			2015-07-15 12:...	192.168.1.118
lab1rm15.simet.lan			2015-07-15 12:...	192.168.1.119
lab1rm16.simet.lan			2015-07-15 12:...	192.168.1.102
lab1rm17.simet.lan			2015-07-15 12:...	192.168.1.120
lab1rm21.simet.lan			2015-07-15 12:...	192.168.1.121
lab1rm22.simet.lan			2015-07-15 12:...	192.168.1.122
lab1rm23.simet.lan			2015-07-15 12:...	192.168.1.123
lab1rm24.simet.lan			2015-07-15 12:...	192.168.1.124
lab1rm25.simet.lan			2015-07-15 12:...	192.168.1.125
lab1rm3.simet.lan			2015-07-15 12:...	192.168.1.103
lab1rm4.simet.lan			2015-07-15 12:...	192.168.1.104
lab1rm5.simet.lan			2015-07-15 12:...	192.168.1.105
lab1rm6.simet.lan			2015-07-15 12:...	192.168.1.106
lab1rm7.simet.lan			2015-07-15 12:...	192.168.1.107
lab1rm8.simet.lan			2015-07-15 12:...	192.168.1.108
lab1rm9.simet.lan			2015-07-15 12:...	192.168.1.109

Clients total: 26 SE... .. c... lab1rm9.simet.lan number of clients: 0 (... opsi.simet.lan

Napokon na kraju napornog radnog dana istom metodom ugasimo cijelu učionicu jednim klikom miša. Neprocijenjivo je iskustvo kad učionica utihne za manje od 60 sekundi.



Vezani članci:

[Opsi server - Instalacija](#) [1]

[Opsi server - konfiguracija](#) [2]

[Priprema 64-bitne instalacije Windowsa 7 za Opsi server](#) [3]

[Nenadzirana instalacija Windowsa 7 preko mreže](#) [4]

[Instalacija Opsi klijenta](#) [5]

ned, 2015-10-04 08:09 - Goran Šljivić **Kuharice:** [Linux](#) [6]

Kategorije: [Software](#) [7]

Vote: 0

No votes yet

Source URL: <https://sysportal.carnet.hr/node/1562?page=0>

Links

- [1] <http://sistemac.carnet.hr/node/1541>
- [2] <http://sistemac.carnet.hr/node/1546>
- [3] <http://sistemac.carnet.hr/node/1548>
- [4] <http://sistemac.carnet.hr/node/1550>
- [5] <http://sistemac.carnet.hr/node/1554>
- [6] <https://sysportal.carnet.hr/taxonomy/term/17>
- [7] <https://sysportal.carnet.hr/taxonomy/term/25>